

Fluorescent magnifiers

KFM™ Magnifier

Heavy-duty round lens multipurpose fluorescent magnifier

KFM has a sturdy all-metal construction with a sleek design, flexible arm and excellent light output suitable for a variety of industrial, laboratory, cosmetology and low vision applications. The flexibility of the neck assembly and patented internal spring K-arm make exact positioning easy.

Technical details

Lightsource: 22-Watt fluorescent. Instant-on switch ignites the fluorescent tube with just a touch.

Body material and color: Die-cast aluminum housing.

Colors: black, white and light gray.

Optics: ~~3- (1.75X) or~~ 5-diopter (2.25X), 5" diameter optical-quality glass lens.

Secondary lenses: For additional magnification a secondary 4-, 6- or 10-diopter STAYS lens can be attached to the primary lens.

Power supply: Supplied with cable and plug. HF electronic ballast.

Arm technology: Heavy-duty internal-spring 45" or 30" K-arm.

Mounting: Edge clamp or weighted base.

UL/cUL listed



Part numbers	Old part numbers	
KFK025817	17113BK	KFM, 3-diopter, 45", edge clamp, black
KFK025818	17113LG	KFM, 3-diopter, 45", edge clamp, light gray
KFK025820	17115BK	KFM, 5-diopter, 45", edge clamp, black
KFK025821	17115LG	KFM, 5-diopter, 45", edge clamp, light gray
KFK025822	17115WT	KFM, 5-diopter, 45", edge clamp, white
KFK025824	17213LG	KFM, 3-diopter, 30", edge clamp, light gray
KFK025827	17215LG	KFM, 5-diopter, 30", edge clamp, light gray
KFK025789	17253LG	KFM, 3-diopter, 30", weighted base, light gray
KFK025786	17255BK	KFM, 5-diopter, 30", weighted base, black
KFK025790	17255LG	KFM, 5-diopter, 30" weighted base, light gray